TUBI RETINATI

Rotoli di tubo in PU retinato ideale per carrozzerie e autofficine.
Braided PU hose rolls, ideal for bodyshops and garages.



Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Rotoli mt. *Rolls mt.*	Filetto *Thread*	Colore *Colour*	€
906/1	10	6	5	1/4"	Blu	
906/2	10	6	7,5	1/4"	Blu	
906/3	10	6	10	1/4"	Blu	
906/4	12	8	5	1/4"	Blu	
906/5	12	8	7,5	1/4"	Blu	
906/6	12	8	10	1/4"	Blu	
906/7	12	8	15	1/4"	Blu	
906/8	12	8	20	1/4"	Blu	
906/8A	15	10	10	3/8"	Blu	
906/12	19	13	10	1/2"	Blu	
906/13	19	13	20	1/2"	Blu	

Rotoli di tubo in PU retinato con raccordi ideale per carrozzerie e autofficine.
Braided PU hose rolls with couplings, ideal for bodyshops and garages.



Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Rotoli mt. *Rolls mt.*	Filetto *Thread*	Colore *Colour*	€
907/1	10	6	5	1/4"	Blu	
907/2	10	6	7,5	1/4"	Blu	
907/3	10	6	10	1/4"	Blu	
907/4	12	8	5	1/4"	Blu	
907/5	12	8	7,5	1/4"	Blu	
907/6	12	8	10	1/4"	Blu	
907/7	12	8	15	1/4"	Blu	
907/8	12	8	20	1/4"	Blu	
907/9	15	10	10	3/8"	Blu	
907/12	19	13	10	1/2"	Blu	
907/13	19	13	20	1/2"	Blu	

Rotoli di tubo in PVC retinato leggero ideale per autolavaggi e autofficine.
Light braided PVC hose rolls suitable for car washing and car repair shops.



Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Rotoli mt. *Rolls mt.*	Filetto *Thread*	Colore *Colour*	€
904/1	13	8	5	1/4"	Blu	
904/2	13	8	7,5	1/4"	Blu	
904/3	13	8	10	1/4"	Blu	
904/4	13	8	15	1/4"	Blu	
904/5	13	8	20	1/4"	Blu	
904/6	15	10	10	3/8"	Blu	
904/7	15	10	15	3/8"	Blu	
904/8	15	10	20	3/8"	Blu	
904/9	19	13	10	1/2"	Blu	
904/10	19	13	20	1/2"	Blu	

Rotoli di tubo in PVC retinato con raccordi leggero ideale per autolavaggi e autofficine.
Light braided PVC hose rolls with couplings , suitable for car washing and car repair shops.



Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Filetto *Thread*	Rotoli mt. *Rolls mt.*	Colore *Colour*	€
905/1	13	8	1/4"	5	Blu	
905/2	13	8	1/4"	7,5	Blu	
905/3	13	8	1/4"	10	Blu	
905/4	13	8	1/4"	15	Blu	
905/5	13	8	1/4"	20	Blu	
905/6	15	10	3/8"	10	Blu	
905/7	15	10	3/8"	15	Blu	
905/8	15	10	3/8"	20	Blu	
905/9	19	13	1/2"	10	Blu	
905/10	19	13	1/2"	20	Blu	

Tubo in PVC RETINATO
BRAIDED PVC hose



Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Pressione scoppio *Bursting pressure*	Pressione esercizio *Working pressure*	Colore *Colour*	Rotoli mt. *Rolls mt.*	€
913/1	13	8	60	20	Blu	100	
913/2	15	10	60	20	Blu	100	
913/3	19	13	60	20	Blu	100	

Tubo POLIURETANO RETINATO

Temperature variante da -40°C a +80°C. Caratteristiche: tubo in PU con rinforzo in filato di poliestere ad alta tenacità. Leggero e flessibile anche a basse temperature; resistenza all'abrasione e alla flessione. Alto margine di sicurezza sui raccordi. Campi di applicazione: aria compressa, pneumatica, circuiti di raffreddamento, verniciatura a pistola, sabbiatura e ovunque sia richiesta resistenza all'abrasione.



BRAIDED POLYURETHANE hose

Temperature range varying from -40°C to +80°C. Features: Flexible hose in PU with reinforcement of high toughness polyester yarn. Very light and flexible even at low temperatures. High resistance to abrasion and flexion. Good safety verge on the fittings. Application fields: compressed air, pneumatics, cooling circuits, spray gun painting, sandblasting and whenever resistance to abrasion is required.

Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Pressione scoppio *Bursting pressure*	Pressione esercizio *Working pressure*	Colore *Colour*	Rotoli mt. *Rolls mt.*	€
PR/0 AR	10	6	60	20	Blu	100	
PR/1 AR	12	8	60	20	Blu	100	
PR/1A AR	14,5	10	60	20	Blu	100	
PR/2 AR	16	11	60	20	Blu	100	
PR/3 AR	19	13	60	20	Blu	100	

Tubo RETINATO CRISTALLO IN PVC

Trasparente con rinforzo interno in fibra poliestere, esente da piombo e cadmio. Impiego: mandata liquidi industriali, soluzioni chimiche, aria compressa, industria alimentare. Temperatura d'impiego: -5°C +60°C.



KRISTAL BRAIDED PVC hose

Transparent colour. Inner core in polyester fiber, lead-free and cadmium-free. Employment: flow of industrial liquids, chemical solutions, compressed air, food industry. Working temperature: -5°C +60°C

Art.	Ø esterno *outside Ø*	Ø interno *inside Ø*	Pressione scoppio *Bursting pressure*	Pressione esercizio *Working pressure*	Colore *Colour*	Rotoli mt. *Rolls mt.*	€
RT/1	11	5	-	20	neutro • *natural*	100	
RT/2	12	6	-	20	neutro • *natural*	100	
RT/3	14	8	-	15	neutro • *natural*	100	
RT/4	16	10	-	15	neutro • *natural*	100	
RT/4A	18	12	-	12	neutro • *natural*	50	
RT/5	19	13	-	12	neutro • *natural*	50	
RT/5A	21	15	-	10	neutro • *natural*	50	
RT/6	22	16	-	10	neutro • *natural*	50	
RT/6A	33	25	-	10	neutro • *natural*	50	