RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero
PUSH-IN FITTINGS - Technopolymer series

Caratteristiche tecniche: Campi di impiego circuiti pneumatici, oleodinamici e idraulici. Tubi di collegamento tubi plastici (Rilsan PA11 e PA12 - Poliuretano - Nylon PA6). La pressione massima di esercizio e la temperatura sono determinate dalle caratteristiche del tubo impiegato. Pressionemassima consigliata 10 Bar (1 MPa). Temperatura di lavoro: 0°C (275°K), +60°C (333°K). Materiali impiegati: Ottone e Zama nichelati - Tecnopolimero - Pinza inox. Filettatura: Cilindrica con O-Ring UNI-ISO 228/1 - Conica con Teflon UNI-ISO 7/1 - Metrica con O-Ring UNI 5542-65.

Technical features: Fields of application: pneumatic and hydraulic systems. Connectingtubes: plastic hoses (Rilsan PA11/12 - Polyurethane - Nylon PA6). The working pressure and working temperature depend on which type of tube is used. Max pressure suggested: 10 Bar (1 MPa). Working temperature: 0°C (273°K), +60°C (333°K). Material used: Nickel-Plated brass and Zama - Technopolymer - Stainless steel pliers. Threads Parallel thread with O-Ring UNI-ISO 228/1 - Tapered thread with PTFE UNI-ISO 7/1 - Metric thread with O-Ring UNI 5542-65.

Fisso cilindrico con OR
Fixed straight with OR



Art.	Size • Øe		€
E380/0	M5	4	
E380/0B	M5	6	
E380/0C	M6	4	
E380/0D	M6	6	
E380/1	1/8"	4	
E380/2	1/8"	6	
E380/3	1/8"	8	
E380/3A	1/8"	10	
E380/4	1/4"	4	
E380/5	1/4"	6	
E380/6	1/4"	8	
E380/7	1/4"	10	
E380/7A	1/4"	12	
E380/7B	3/8"	6	
E380/8	3/8"	8	
E380/9	3/8"	10	
E380/9A	3/8"	12	
E380/9E	3/8"	14	
E380/9D	3/8"	16	
E380/9C	1/2"	6	
E380/9B	1/2"	8	
E380/10	1/2"	10	
E380/11	1/2"	12	
E380/12	1/2"	14	
E380/13	1/2"	16	

Fisso conico
Fixed tapered



E401/3	1/8"	4	
E401/4	1/8"	6	
E401/5	1/8"	8	
E401/5A	1/8"	10	
E401/6	1/4"	4	
E401/7	1/4"	6	
E401/8	1/4"	8	
E401/9	1/4"	10	
E401/10	1/4"	12	
E401/11	3/8"	6	
E401/12	3/8"	8	
E401/13	3/8"	10	
E401/14	3/8"	12	
E401/14A	3/8"	14	
E401/14B	3/8"	16	
E401/15	1/2"	6	
E401/16	1/2"	8	
E401/17	1/2"	10	
E401/18	1/2"	12	
E401/19	1/2"	14	
E401/19A	1/2"	16	

Diritto femmina
Straight female



Art.	Size • Øe		€
E381/0	M5	4	
E381/1	1/8"	4	
E381/2	1/8"	6	
E381/3	1/8"	8	
E381/4	1/4"	4	
E381/5	1/4"	6	
E381/6	1/4"	8	
E381/7	1/4"	10	
E381/7A	1/4"	12	
E381/8	3/8"	8	
E381/9	3/8"	10	
E381/9A	3/8"	12	
E381/9B	3/8"	14	
E381/9C	3/8"	16	
E381/10	1/2"	6	
E381/11	1/2"	8	
E381/12	1/2"	10	
E381/13	1/2"	12	
E381/14	1/2"	14	
E381/15	1/2"	16	

Intermedio diritto
Intermediate straight



E382/1	4
E382/2	6
E382/3	8
E382/4	10
E382/5	12
E382/6	14
E382/7	16

Intermedio ridotto
Intermediate reduced



E396/1	4 x 6
E396/1A	4 x 8
E396/3	6 x 8
E396/3A	6 x 10
E396/4	10 x 8
E396/4A	12 x 8
E396/5	12 x 10
E396/6	16 x 12

Adattatore a spina con OR
Plug adapter with OR



E393/1	1/8"	4	
E393/2	1/8"	6	
E393/3	1/8"	8	
E393/4	1/4"	6	
E393/5	1/4"	8	
E393/5A	1/4"	10	
E393/6	3/8"	8	
E393/7	3/8"	10	
E393/8	1/2"	12	

RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero
PUSH-IN FITTINGS - Technopolymer series

Riduzione fissa
Fixed reduction

B



A

Art.	Size • Øe		€
	A	B	
E397/1	4	6	
E397/2	4	8	
E397/3	6	8	
E397/3A	6	10	
E397/4	8	10	
E397/4B	8	12	
E397/5	10	12	

Passalamiera
Bulkhead



E398/1	4		
E398/2	6		
E398/3	8		
E398/4	10		
E398/5	12		
E398/6	14		
E398/7	16		

Passalamiera femmina
Female bulkhead



E376/1	M5	4	
E376/2	M5	6	
E376/3	M6	4	
E376/4	M6	6	
E376/5	1/8"	4	
E376/6	1/8"	6	
E376/7	1/8"	8	
E376/8	1/8"	10	
E376/9	1/4"	4	
E376/10	1/4"	6	
E376/11	1/4"	8	
E376/12	1/4"	10	
E376/13	1/4"	12	
E376/14	3/8"	6	
E376/15	3/8"	8	
E376/16	3/8"	10	
E376/17	3/8"	12	
E376/18	1/2"	6	
E376/19	1/2"	8	
E376/20	1/2"	10	
E376/21	1/2"	12	

Girevole "L" a esagono
Swivel elbow hexagon screw



E384/1	1/8"	4	
E384/2	1/8"	6	
E384/3	1/8"	8	
E384/4	1/4"	4	
E384/5	1/4"	6	
E384/6	1/4"	8	

Girevole "L" femmina
Swivel female elbow



E385/1	1/8"	4	
E385/2	1/8"	6	
E385/3	1/8"	8	
E385/4	1/4"	4	
E385/5	1/4"	6	
E385/6	1/4"	8	
E385/7	1/4"	10	
E385/7A	1/4"	12	
E385/8	3/8"	8	
E385/9	3/8"	10	
E385/10	3/8"	12	

Girevole "L" con OR
Swivel elbow with OR



Art.	Size • Øe		€
E383/0	M5	4	
E383/0B	M5	6	
E383/0A	M6	4	
E383/0C	M6	6	
E383/1	1/8"	4	
E383/2	1/8"	6	
E383/3	1/8"	8	
E383/3A	1/8"	10	
E383/4	1/4"	4	
E383/5	1/4"	6	
E383/6	1/4"	8	
E383/7	1/4"	10	
E383/7A	1/4"	12	
E383/7B	3/8"	6	
E383/8	3/8"	8	
E383/9	3/8"	10	
E383/9A	3/8"	12	
E383/9AA	3/8"	14	
E383/14	3/8"	16	
E383/9C	1/2"	6	
E383/9B	1/2"	8	
E383/10	1/2"	10	
E383/11	1/2"	12	
E383/12	1/2"	14	
E383/13	1/2"	16	

Girevole "L" conico
Swivel tapered elbow



E402/2	1/8"	4	
E402/3	1/8"	6	
E402/4	1/8"	8	
E402/5	1/8"	10	
E402/6	1/4"	4	
E402/7	1/4"	6	
E402/8	1/4"	8	
E402/9	1/4"	10	
E402/10	1/4"	12	
E402/10A	3/8"	6	
E402/11	3/8"	8	
E402/12	3/8"	10	
E402/13	3/8"	12	
E402/13C	3/8"	14	
E402/13B	3/8"	16	
E402/14	1/2"	6	
E402/15	1/2"	8	
E402/16	1/2"	10	
E402/17	1/2"	12	
E402/17A	1/2"	14	
E402/18	1/2"	16	

Intermedio "L"
Intermediate elbow



E386/1	4	
E386/2	6	
E386/3	8	
E386/4	10	
E386/5	12	
E386/6	14	
E386/7	16	

RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero
PUSH-IN FITTINGS - Technopolymer series

"L" con codolo
Elbow with tail



Art.	Size • Øe		€
	A	B	
E383/C1	4	4	
E383/C2	4	6	
E383/C3	6	6	
E383/C4	6	8	
E383/C5	8	8	
E383/C6	8	10	
E383/C7	10	10	
E383/C8	10	12	
E383/C9	12	12	

Girevole "T" laterale con OR
Swivel lateral tee with OR



Art.	Size • Øe		€
E387/0	M5	4	
E387/0A	M5	6	
E387/0B	M6	4	
E387/0C	M6	6	
E387/1	1/8"	4	
E387/2	1/8"	6	
E387/3	1/8"	8	
E387/3A	1/8"	10	
E387/4	1/4"	4	
E387/5	1/4"	6	
E387/6	1/4"	8	
E387/7	1/4"	10	
E387/7A	1/4"	12	
E387/7B	3/8"	6	
E387/8	3/8"	8	
E387/9	3/8"	10	
E387/9A	3/8"	12	
E387/9B	3/8"	14	
E387/9C	3/8"	16	
E387/9D	1/2"	6	
E387/9E	1/2"	8	
E387/10	1/2"	10	
E387/11	1/2"	12	
E387/12	1/2"	14	
E387/13	1/2"	16	

Girevole "T" laterale conico
Swivel lateral tapered Tee



Art.	Size • Øe		€
E403/1	1/8"	4	
E403/2	1/8"	6	
E403/3	1/8"	8	
E403/3A	1/8"	10	
E403/7A	1/4"	12	
E403/7B	3/8"	6	
E403/4	1/4"	4	
E403/5	1/4"	6	
E403/6	1/4"	8	
E403/7	1/4"	10	
E403/8	3/8"	8	
E403/9	3/8"	10	
E403/9A	3/8"	12	
E403/9B	3/8"	14	
E403/9C	3/8"	16	
E403/9D	1/2"	6	
E403/9E	1/2"	8	
E403/10	1/2"	10	
E403/11	1/2"	12	
E403/12	1/2"	14	
E403/13	1/2"	16	

Girevole "T" centrale con OR
Swivel central tee with OR



Art.	Size • Øe		€
E388/0	M5	4	
E388/0A	M5	6	
E388/0B	M6	4	
E388/0C	M6	6	
E388/1	1/8"	4	
E388/2	1/8"	6	
E388/3	1/8"	8	
E388/3A	1/8"	10	
E388/4	1/4"	4	
E388/5	1/4"	6	
E388/6	1/4"	8	
E388/7	1/4"	10	
E388/7A	1/4"	12	
E388/7B	3/8"	6	
E388/8	3/8"	8	
E388/9	3/8"	10	
E388/9B	3/8"	12	
E388/9C	3/8"	14	
E388/9D	3/8"	16	
E388/9E	1/2"	6	
E388/9A	1/2"	8	
E388/10	1/2"	10	
E388/11	1/2"	12	
E388/12	1/2"	14	
E388/13	1/2"	16	

Girevole "T" centrale conico
Swivel central tapered tee



Art.	Size • Øe		€
E400/1	1/8"	4	
E400/2	1/8"	6	
E400/3	1/8"	8	
E400/3A	1/8"	10	
E400/4	1/4"	4	
E400/6	1/4"	6	
E400/7	1/4"	8	
E400/8	1/4"	10	
E400/8A	1/4"	12	
E400/8B	3/8"	6	
E400/9	3/8"	8	
E400/10	3/8"	10	
E400/11	3/8"	12	
E400/11A	3/8"	14	
E400/11B	3/8"	16	
E400/11C	1/2"	6	
E400/12	1/2"	8	
E400/13	1/2"	10	
E400/14	1/2"	12	
E400/15	1/2"	14	
E400/16	1/2"	16	

Intermedio "T"
Intermediate tee



Art.	Size • Øe	€
E390/1	4	
E390/2	6	
E390/3	8	
E390/4	10	
E390/5	12	
E390/6	14	
E390/7	16	

RACCORDI AD INNESTO RAPIDO - serie Tecnopolimero
PUSH-IN FITTINGS - Technopolymer series

Intermedio ridotto a "T"
Intermediate reduced tee



Art.	Size • Øe	
	A	B
E394/1	4	6
E394/2	6	8
E394/3	8	10
E394/3A	8	12
E394/4	10	12
E394/5	12	16

Intermedio "X"
Intermediate X



E392/1	4
E392/2	6
E392/3	8
E392/4	10
E392/5	12

Intermedio "Y"
Intermediate Y



Art.	Size • Øe	
	A	B
E391/1	4	4
E391/1A	5	5
E391/1B	6	4
E391/2	6	6
E391/2A	8	6
E391/3	8	8
E391/3A	10	8
E391/4	10	10
E391/5	12	12
E391/5A	14	14
E391/6	16	16

RACCORDI AD INNESTO RAPIDO - NPT
PUSH-IN FITTINGS – NPT thread

Ottone Brass

Fisso
Fixed



Art.	Size • Øe	
N380/1	N1/8"	4
N380/2	N1/8"	6
N380/3	N1/8"	8
N380/4	N1/4"	4
N380/5	N1/4"	6
N380/6	N1/4"	8
N380/7	N1/4"	10
N380/8	N1/4"	12
N380/9	N3/8"	10
N380/10	N3/8"	12
N380/11	N1/2"	12

Girevole "L"
Swivel elbow



N387/1	N1/8"	4
N387/2	N1/8"	6
N387/3	N1/8"	8
N387/4	N1/4"	4
N387/5	N1/4"	6
N387/6	N1/4"	8
N387/7	N1/4"	10
N387/8	N1/4"	12
N387/9	N3/8"	10
N387/10	N3/8"	12
N387/11	N1/2"	12

Girevole "T" centrale
Swivel central Tee



N390/1	N1/8"	4
N390/2	N1/8"	6
N390/3	N1/8"	8
N390/4	N1/4"	4
N390/5	N1/4"	6
N390/6	N1/4"	8
N390/7	N1/4"	10
N390/8	N1/4"	12
N390/9	N3/8"	10
N390/10	N3/8"	12
N390/11	N1/2"	12

Tecnopolimero Technopolymer

Fisso
Fixed



Art.	Size • Øe	
NE401/1	N1/8"	6.35 (1/4)
NE401/2	N1/8"	9.52 (3/8)
NE401/3	N1/4"	6.35 (1/4)
NE401/4	N1/4"	9.52 (3/8)
NE401/5	N1/4"	12,7 (1/2)
NE401/6	N3/8"	6.35 (1/4)
NE401/7	N3/8"	9.52 (3/8)
NE401/8	N3/8"	12,7 (1/2)
NE401/9	N1/2"	9.52 (3/8)
NE401/10	N1/2"	12,7 (1/2)

Girevole "L"
Swivel elbow



NE402/1	N1/8"	6.35 (1/4)
NE402/2	N1/8"	9.52 (3/8)
NE402/3	N1/4"	6.35 (1/4)
NE402/4	N1/4"	9.52 (3/8)
NE402/5	N1/4"	12,7 (1/2)
NE402/6	N3/8"	6.35 (1/4)
NE402/7	N3/8"	9.52 (3/8)
NE402/8	N3/8"	12,7 (1/2)
NE402/9	N1/2"	9.52 (3/8)
NE402/10	N1/2"	12,7 (1/2)

Girevole "T" centrale
Swivel central Tee



NE400/1	N1/8"	6.35 (1/4)
NE400/2	N1/8"	9.52 (3/8)
NE400/3	N1/4"	6.35 (1/4)
NE400/4	N1/4"	9.52 (3/8)
NE400/5	N1/4"	12,7 (1/2)
NE400/6	N3/8"	6.35 (1/4)
NE400/7	N3/8"	9.52 (3/8)
NE400/8	N3/8"	12,7 (1/2)
NE400/9	N1/2"	9.52 (3/8)
NE400/10	N1/2"	12,7 (1/2)